


For those you loved






Care after life

Human lives are important, even after they are gone. There are times when the burial or cremation of dead bodies is delayed due to emergency situations. Cadavers, in such situations need to be kept in cool condition to prevent bodies from decomposition. That is where the need of mortuary chambers comes in.





Also known as morgues, mortuary cabinets or mortuary refrigerators, mortuary chambers are a vital part of a hospital's infrastructure. They are also widely used by railways, airports, disaster camps and defence forces as a useful civic amenity.

Trufrost Mortuary Chambers

Trufrost mortuary chambers are low temperature refrigerated cabinets designed to keep dead bodies cool (generally between 0°C to 5°C) for short or long time. These units are widely used at hospitals, railways, airports, disaster camps, defence forces etc. Our standard mortuary cabinets are available in configurations of one, two, four and six chambers.



Models available



Trufrost Mortuary Chamber TMC-6 For storage of 6 body trays in 2 levels



Trufrost Mortuary Chamber TMC-4 For storage of 4 body trays in 2 levels




Trufrost Mortuary Chamber TMC-2 For storage of 2 body trays in 2 levels






Mobile Single Body Mortuary

Trufrost TMC-1 is a single body mortuary that finds applications in not just hospitals and similar institutions but also homes where the last rites are delayed for some reason. This comes with strong castors for ease of mobility and two glass lids on the top.



Key features:


- Energy efficient & environment friendly cooling system
- 80mm, CFC-free cyclopentane insulation
- Specially designed to ensure hygiene
- Easy to clean and maintain
- Tropicalized for tough weather conditions
- Micro-processor based controller with digital temperature display
- Vapour proof lighting
- Corrosion resistant exterior and interior:
 - Exterior: pre-coated GI sheet
 - Interior construction: SS304; hot dipped MS structure with SS trays
- Individual lock and key for each door
- Strong casters for ease of mobililty




OUTER :- 2510 X 2360 X 1768 MM INNER :- 2550 X 2200 X 1668 MM OWER :- 54.5 304 DOOR CUT OUT :- 610/500 MM OUTDOOR UNIT NOODE UNIT NOODE UNIT STRUCTURE S

Line Drawings

TMC-6



TMC-4



TMC-2



Technical Specifications

Model	Body Capacity	Doors	Door (WxH)	Width	Depth	Height	Height with Cooling Unit	Cooling System	Temperature Range
TMC-6	6	6	610x500	2535	2360	1768	2611	Forced Draft	0-5°C
TMC-4	4	4	610x500	1768	2360	1768	2528	Forced Draft	0-5°C
TMC-2	2	2	610x500	1184	2360	1768	2528	Forced Draft	0-5°C
TMC-1	1	1	610x500	737	2360	660	-	Static	0-5°C

Voltage: 220-240V/50Hz All dimensions in mm

Specifications are subject to change without prior notice due to continuous product development



TRUFROST COOLING PVT. LTD.

Mumbai:

Corporate Office: 1214 & 1215, 12th Floor, Tower B, Emaar Digital Greens, Golf Course Extn. Road, Sector 61, Gurugram - 122011, India

Tel: +91-124-4246560 Email: info@trufrost.com www.trufrost.com UAE: +971-54-557-9395, +971-55-676-1323, Email: middleeast@trufrost.com

7303196614, 9319579748

9319579748 Assam/North-East: 9319391542, 9667795491 Punjab / Haryana:



Andhra/Telangana: 9319391543 7303890587 Chennai: Chhattisgarh: 7303890590 Coldroom (North): 8448445701, 7303196612 Coldroom (South): 9319399771, 7303890585 Delhi/NCR: 8448759200, 7303890582 Goa:

J & K / Himachal : 8448319200, 9319399772 Karnataka: 7303890588 Kerala: 7303890587 Maharashtra: 7303890586

Rajasthan : LIP . MP:

7303890590, 9667795491 8448319200, 9319399772

9116116765 7303196607 9319399770

Uttarakhand: 8448319200, 9319399772 West-Bengal/Bihar: 7303890590, 9667795491



www.trufrost.com