

TRUFROST & BUTLER

Meet the new prodigy
of the Gusto family



Introducing Gusto - Junior the smallest countertop impinger in the market

This prodigious oven from Butler is out to revolutionise the foodservice industry as it has all the features of its bigger siblings in the Gusto series and yet it offers the convenience of being easily placed on a 700mm deep counter. It comes with a 260mm wide belt, a 430mm x 400mm baking chamber and can bake upto 10" pizzas. What's makes it unique is that it can run on 240Volts/ single phase electricals making it suitable for kiosks, food-courts, food trucks, restaurants and catering applications. It is also designed to cook a variety of other products including bagels, garlic breads, omelettes, sea food and ethnic Indian foods like naans, crisp rotis, Amritsari kulchas, kebabs and more.



Gusto E - Junior / Gusto G - Junior



260 mm (10.2")
belt width

Gusto-Junior

400 mm (15.7")
belt width

Gusto 400

520 mm (20.5")
belt width

Gusto 520

800 mm (31.5")
belt width

Gusto 800 Max



*Stacking of 4 ovens is primarily to show 4 different oven sizes available. Stacking is not recommended for more than 2~3 ovens.

Key Features

- ◆ Maximum operating temperature: 300°C (230°C is recommended)
- ◆ Short set-up time: (18-20 mins to set temp. 250°C) under preheat condition, only 8-10 mins
- ◆ 430 mm long cooking chamber with 260 mm belt
- ◆ 923mm long, 690mm deep, and 412mm high overall dimensions
- ◆ Furnished with strong, 4" adjustable legs
- ◆ Stackable up to 3 high
- ◆ Microprocessor-controlled bake time/conveyor speed
- ◆ Stainless steel front, sides, top and interior
- ◆ Special protective black coloured baffle to prevent scalding
- ◆ Reversible conveyor direction
- ◆ Energy saving standby mode
- ◆ 2 conveyor end stops
- ◆ 2 crumb pans
- ◆ Low noise

Optional Cleanability

- ◆ Stand with casters
- ◆ Butler Gusto Ovens are designed for easy cleaning. Removable parts include: crumb pans, end panels, air fingers, exit tray, and a removable conveyor belt assembly.

Ventilation

- ◆ Use of a ventilation hood is recommended.

Technical Specifications - Gusto Hot Air Conveyor Pizza Ovens

Model	Gas	Input Electricity	Gas Pressure (kpa)	Gas Consumption (m ³ /hr)	Dimension L*W*H (MM)	Volume (M ³)	Conveyor size (MM)	Calorie (Kcal/h)	Baking Chamber Dimensions (MM)	Output pcs (9" pizza)	Net weight (KG)
GUSTO G - Junior	LPG	220V	2.3-3.3	0.22 m3/h	923*690*412	0.41	830*260	3300	430 x 260	36/hr (6" pizza)	56
	PNG	50/60Hz	1.0-2.5	0.45 m3/h							



Model	Input Electricity	Electric Power Output (KW)	Power Consumption (KWH)	Dimension L*W*H (MM)	Volume (M ³)	Conveyor size (MM)	Calorie (Kcal/h)	Baking Chamber Dimensions (MM)	Output pcs (9" pizza)	Net weight (KG)
GUSTO E - Junior	220V/50Hz/1Ph	2.9	1.3	923*690*412	0.41	830*260	3300	430 x 260	36/hr (6" pizza)	56

Maximum operating temperature: 300°C (230°C is recommended)

Specifications are subject to change without prior notice due to continuous product development

*Same oven can also be made to operate on 380V/50Hz/3Ph



Recommended Stands

Model	Dimensions (L x W x H) MM	Applicable Models	Casters	Material Used	Net Weight (KG)
GS 260	475*590*612	Gusto E Junior and Gusto G Junior	4	Stainless Steel	12





Scan the QR codes given below to download other catalogues for

- | | | |
|---|---------------------------------------|--|
| 1 | Bakeries
Confectionery | ↓
 |
| 2 | Commercial Kitchens
Cloud Kitchens |  |
| 3 | Cafés
Patisseries |  |
| 4 | Pizzerias
QSRs |  |
| 5 | Ice Cream Parlours
Juice Bars |  |
| 6 | Resto-bars
Pubs |  |
| 7 | Food Retail
Supermarkets |  |
| 8 | Food Preservation
Cold Storage |  |

TRUFROST & BUTLER

Trufrost & Butler Pvt. Ltd.

Formerly, Trufrost Cooling Pvt. Ltd.

1215, 12th Floor, Tower B, Emaar Digital Greens,

Golf Course Extn. Road, Sector 61, Gurugram - 122011, India

Tel: +91-124-4246560 Email: info@trufrost.com www.trufrost.com

Andhra/Telangana : 7042027666
Chennai : 7303890587, 9289143691
Chhattisgarh : 7303890590
Coldroom (North): 8448445701, 7303196612
Coldroom (South): 9319399771,
Delhi/NCR : 8448759200, 7303890582
Goa : 7303196614

Gujarat : 9319579748
Assam/North-East : 9319391542,
J & K / Himachal : 9717664894
Karnataka : 7303890588, 9289143696
Kerala : 9717664984, 7303890587
Maharashtra : 7303890586
Mumbai : 7303196614, 9319579748

Orissa : 7303890590, 9667795491
Punjab / Haryana : 8448319200,
Rajasthan : 8448759200
UP : 7303196607
MP : 7303890582
Uttarakhand : 8448319200, 9319399772
West-Bengal/Bihar : 7303890590, 9667795491

Reach-in Cabinets • Undercounter Refrigeration • Blast Freezers • Ice Cubers • Flake Ice Machines • Wine Coolers • Wine Walls • Back Bars • Bottle Coolers • Draught Beer Systems
Soft Serve Freezers • Granita Dispensers • Juice Dispensers • Hot Chocolate Dispensers • Confectionery Display Cases • Chest Freezers & Coolers • Minibars • Multideck Chillers
Deli Counters • Visi Coolers • Visi Freezers • Walk-in Coldrooms • Cold Storages • Pre-Coolers • Ultra Low Freezers • Pharmacy Freezers & Coolers • Blood Bank Refrigeration • Mobile Coolers
Air Sanitisers • Crockery & Cutlery Sterilisers • UV Warm Wipe Sterilisers • Ozone Fruits & Vegetables Disinfectors • Foot Press Water Dispensers



Discover more at
www.trufrost.com