

**TRUFROST & BUTLER**

Trufrost **Chest Freezers**  
are back



[Chest Freezers & Coolers](#) | [Visi Freezers & Coolers](#)

## Trufrost Hard Top Chest Freezers

The 2-in-1 hard-top chest freezers from Trufrost conveniently double as chillers with the turn of a knob and are available in a wide range of sizes from 175 to 628 litres to suit every conceivable need. You can also choose between single-, double- and three-lid variants. They come with contemporary R290 refrigerant and extra-thick 70mm PUF insulation, enabling optimal performance even in tropical summers.



CF 175 Premia,  
CF 225 Premia



CF 330 DD Premia, CF 440 DD Premia  
CF 550 DD Premia



CF 700 TD Premia

## Trufrost Glass Top Chest Freezers

Trufrost Flat Glass Top Freezers add a new dimension to the routine glass-top freezers available on the market. They are designed to enhance product display. They come with well-designed baskets for easy access and convenient segregation of displayed items, and with extra-thick 70mm insulation and exteriors built into a pleasing white body. Currently, you can choose between three different sizes and capacities.



GT 300 Premia



GT 400 Premia



GT 500 Premia

## Dual Temperature Freezers / Chillers

Trufrost dual-temp freezers/chillers have two segregated storage compartments – ideal for storing ice creams and frozen foods in one and dairy products or beverages in the other.



DT 400 Premia



## Technical Specifications


Specification	Hard Top Freezers						Glass Top Freezers			Dual Temp Freezers
	CF 175 Premia	CF 225 Premia	CF 330 DD Premia	CF 440 DD Premia	CF 550 DD Premia	CF 700 TD Premia	GT 300 Premia	GT 400 Premia	GT 500 Premia	DT 400 Premia
Gross Capacity (Litres)	175	220	320	424	529	628	350	450	550	
Net Capacity (Litres)	134	208	305	405	505	605	268	356	445	172L-Freezer, 208L-Cooler
Star Rating (proposed)		3 STAR	5 STAR	3 STAR	4 STAR	4 STAR				
Gross Dimensions WxDxH (mm)	700 X 730 X 920	940 X 730 X 920	1220 X 730 X 920	1520 X 730 X 920	1820 X 730 X 920	2100 X 730 X 920	1220 X 730 X 920	1520 X 730 X 920	1820 X 730 X 920	1520 X 730 X 920
Compressor Make	GMCC	GMCC	GMCC	GMCC	GMCC	GMCC	GMCC	GMCC	GMCC	GMCC
Temperature Range	+6 °C to -24 °C	+6 °C to -24 °C	+6 °C to -24 °C	+6 °C to -24 °C	+6 °C to -24 °C	+6 °C to -24 °C	-11 °C to -26 °C	-11 °C to -26 °C	-11 °C to -26 °C	+6 °C to -24 °C
Electricals	230V/50HZ/1PH	230V/50HZ/1PH	230V/50HZ/1PH	230V/50HZ/1PH	230V/50HZ/1PH	230V/50HZ/1PH	230V/50HZ/1PH	230V/50HZ/1PH	230V/50HZ/1PH	230V/50HZ/1PH
Refrigerant	R290	R290	R290	R290	R290	R290	R290	R290	R290	R290
Number of Lids	1	1	2	2	2	2	2	2	2	2
Cabinet PUF Thickness (mm)	70	70	70	70	70	70	70	70	70	70
Lid Puff Thick, mm	70	70	70	70	70	70	4	4	4	70
Wheels	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Baskets	1	1	2	2	2	2	2	3	4	1
Electricals: 220V/50Hz/1 Phase	Specifications are subject to change without prior notice due to continuous product development									

## Trufrost Scooping Parlour Freezers

The Trufrost Scooping Parlour Freezer adds a new dimension to the routine glass-top freezers available on the market. It comes with a contemporary sneeze guard and a service platform at the rear. It is equipped with 12 stainless-steel pans for ice cream or gelato, and it also has an additional storage section that can be operated from the back. It features LED lighting for the inner cabinet and the front glass to enhance your display, and it comes with extra-thick 70mm insulation. Currently available in one size.



SPC 12



Storage space

Product	Model	Dimensions wxdxh (in mm)	Temperature range	Power	Climate Class	Rated Current	Pans	Effective Volume
Scooping Parlour Freezer	SPC 12	1665x695x850	-18°C ~-25°C	370 W	7/ST	2.0A	12	480L

Electricals: 220V/50Hz/Single Phase      Specifications are subject to change without prior notice due to continuous product development  
Working condition for open chillers/glass door freezer is class 3 (Room Temp. 25°C and 60%RH)

## Visi Coolers - Italia Series

The Italia series from Trufrost represents a truly premium range of visi coolers in an elegant black body and a luxe frameless door design. These chic visi coolers are designed to enhance the ambience of any store and help you increase your sales by showing beverage bottles, cans, juice packs and other foodstuff at their very best.

### Key Features

- ◆ A choice of 3 models in 77, 300 and 400 litre capacities
- ◆ LED lighting to enhance the display quality
- ◆ VC 300 Slim Italia comes with a very attractive slim fascia
- ◆ VC 300 Slim Italia & VC 400 Italia models also come with black interiors and black shelves



VC 77 Italia



VC 300 Slim Italia



VC 400 Italia

# Visi Coolers - Premia Series

## (With top mounted compressors)

These Trufrost Premia Series plug-in type 2 glass door upright Coolers come with top mounted compressors. They provide an ultra rich and pleasing 'top to bottom' view of the displayed foodstuff – be it ice creams or any other packaged food. The cabinet interiors come with LED lights to enhance the quality of display.



### Key Features

- ◆ Forced air circulation
- ◆ Adjustable shelves
- ◆ Interior LED lights
- ◆ Universal wheels, front with brake
- ◆ Double pane glass including Low E in Visi Coolers
- ◆ Self Closing doors
- ◆ Self evaporating drip tray
- ◆ Low-maintenance condenser
- ◆ Standard ambient for Visi Coolers +35°C at 65%RH



VC 1250 Premia



VC 1800 Premia



VF 1250 Premia  
VF 1800 Premia

## Technical Specifications



Model	Volume (L)	Door type	Shelves	Power	Dimensions (wxdxh) mm	Temperature range	Refrigerant	No. of Compressors
VC 1250 Premia	1250	2 Hinge	10	412W	1260x750x2092	+1°C ~ +10°C	R134a	1
VC 1800 Premia	1800	3 Hinge	15	675W	1880x750x2092	+1°C ~ +10°C	R134a	1
VF 1250 Premia	1250	2 Hinge	10	1472W	1260x750x2092	-18°C ~ -22°C	R404a	2
VF 1800 Premia	1800	3 Hinge	15	1850W	1880x750x2092	-18°C ~ -22°C	R404a	2

Electricals: 220V/50Hz/Single Phase

Specifications are subject to change without prior notice due to continuous product development  
Working condition for open chillers/glass door freezer is class 3 (Room Temp. 25°C and 60%RH)

## Visi Coolers - NEU Series

The NEU series from Trufrost is yet another premium range of visi coolers draped in a cool white body and an attractive aluminium alloy door frame. The NEU series visi coolers are designed to provide a pleasing look to any store and help you increase your sales by showing beverage bottles, cans, juice packs and other foodstuff at their very best.

### Key Features

- ◆ A choice of 4 models from 250 – 650 litre capacities
- ◆ LED lighting to enhance the display
- ◆ Attractive aluminium alloy door frame



## Visi Coolers - Black Head Series

The Black Head series from Trufrost represents a truly premium range of visi coolers with an elegant black head and a luxurious design. The elimination of the top canopy intelligently creates more space for your display. These stylish visi coolers are crafted to enhance the ambience of any store and help you boost your sales by displaying beverage bottles, cans, juice packs, and other food items at their very best.



## Technical Specifications - Visi Coolers



Specification	Gross Volume (Litres)	Dimensions w x d x h (mm)	Temperature Range	Power (w)	Lock	Defrost	No. of Lids / Doors	No. of shelves	Interior Light	Wheels / Castors	No. of Compressors	Refrigerant
VC 77 Italia	70	495x450x670	1 - 9°C	85	Yes	Automatic	1	2	LED light	No	1	R600a
VC 300 Slim Italia	300	420x525x1920	2 - 8°C	170	No	Automatic	1	5	LED light	4 legs	1	R600a
VC 400 Italia	400	575x565x1920	2 - 8°C	220	Yes	Automatic	1	5	LED light	4 legs	1	R600a
VC 250 NEU	250	575x555x1645	0 - 10°C	180	Yes	Automatic	1	4	LED light	4	1	R600a
VC 350 NEU	350	575x610x1710	0 - 10°C	210	Yes	Automatic	1	4	LED light	4	1	R600a
VC 450 NEU	450	615x610x1990	0 - 10°C	240	yes	Manual	1	5	LED light	4	1	R600a
VC 650 NEU	650	655x705x1990	0 - 10°C	280	Yes	Manual	1	5	LED light	4	1	R290
VC 250 Black Head	250	540x560x1510	0 - 10°C	200		No frost	1	3	LED light	2 castors & 2 feet	1	R290
VC 350 Black Head	280	540x570x1710	0 - 10°C	240		No frost	1	4	LED light	2 castors & 2 feet	1	R290
VC 450 Black Head	380	595x607x1860	0 - 10°C	300		No frost	1	5	LED light	2 castors & 2 feet	1	R290

Electricals: 220V/50Hz/1 Phase      Specifications are subject to change without prior notice due to continuous product development  
Working condition for open chillers/glass door freezer is class 3 (Room Temp. 25°C and 60%RH)



## Visi Coolers

Trufrost brings to India a contemporary range of merchandising solutions that help you increase your sales by showing beverage bottles, cans, juice packs and other foodstuff at their very best. These innovative cooling displays are available in 50 to 1500 litre capacities and 1 Door/ 2 Door variants. They are designed to keep products at the optimum temperature and display them in a way that causes them to jump off the shelves into shopping baskets.



VC 50



VC 100 (New)



VC 700 NF  
VC 1000 NF

## Technical Specifications - Visi Coolers

Specification	Gross Volume (Litres)	w x d x h (inches)	Temperature Range	Power (w)	Lock	Defrost	No. of Lids / Doors	No. of shelves	Interior Light	Wheels / Castors	No. of Compressors	Refrigerant
VC 50	50	18 x 20 x 20	2 - 8°C	65	No	Yes	1	2	LED light	No	1	R134a
VC 100	100	18 x 20 x 33	2 - 8°C	65	No	Yes	1	4	LED light	No	1	R134a
VC 700 NF	680	35 x 24 x 78	2 - 8°C	349	Yes	Automatic	2	8	Yes / 2LEDs	Yes	1	R134a
VC 1000 NF	1000	44 x 27 x 82	2 - 8°C	475	Yes	Automatic	2	8	Yes / 2LEDs	Yes	1	R134a

Electricals: 220V/50Hz/1 Phase Specifications are subject to change without prior notice due to continuous product development  
Working condition for open chillers/glass door freezer is class 3 (Room Temp. 25°C and 60%RH)

## Traditional Visi Freezer

Trufrost upright visi freezers are known for their reliability and provide a pleasing view of the displayed foodstuff – be it ice creams or any other packaged frozen food. The VF-400 and VF-1000 are among our fast selling models. They have a ventilated cooling system with automatic defrost and are fitted with LED lights to enhance the quality of display.



## Technical Specifications - Visi Freezers

Specification	Gross Volume (Litres)	Dimensions w x d x h (mm)	Temperature Range	Power (w)	Lock	Defrost	No. of Lids / Doors	No. of shelves	Interior Light	Wheels / Castors	No. of Compressors	Refrigerant
VF 400 (New)	90	600x530x845	≤-22°C	230	Yes	Automatic	1	3	Yes / 2LEDs	Yes	1	R290a

Electricals: 220V/50Hz/1 Phase Specifications are subject to change without prior notice due to continuous product development  
Working condition for open chillers/glass door freezer is class 3 (Room Temp. 25°C and 60%RH)





# TRUFROST & BUTLER

## Trufrost & Butler Pvt. Ltd.

Formerly, Trufrost Cooling Pvt. Ltd.

1215, 12th Floor, Tower B, Emaar Digital Greens,

Golf Course Extn. Road, Sector 61, Gurugram - 122011, India

Tel: +91-124-4246560 Email: [info@trufrost.com](mailto:info@trufrost.com) [www.trufrost.com](http://www.trufrost.com)

Andhra/Telangana : 7042027666  
Chennai : 7303890587, 9289143691  
Chhattisgarh : 7303890590  
Coldroom (North): 8448445701, 7303196612  
Coldroom (South): 9319399771, 7303890585  
Delhi/NCR : 8448759200, 7303890582  
Goa : 7303196614

Gujarat : 9319579748  
Assam/North-East : 9319391542, 9667795491  
J & K / Himachal : 9717664894  
Karnataka : 7303890588, 9289143696  
Kerala : 9717664984, 7303890587  
Maharashtra : 7303890586  
Mumbai : 7303196614, 9319579748

Orissa : 7303890590, 9667795491  
Punjab / Haryana : 8448319200, 9319399772  
Rajasthan : 8448759200  
UP : 7303196607  
MP : 7303890582  
Uttarakhand : 8448319200, 9319399772  
West-Bengal/Bihar : 7303890590, 9667795491